



Product innovation

OWAcoustic® premium Sinfonia


The perfect All-rounder

The perfect All-rounder

OWAcoustic® premium Sinfonia

High acoustic achievement in a simple, elegant look: With OWAcoustic® premium Sinfonia you solve the requirements of modern ceiling systems particularly economically.





Simply convincing

OWAcoustic® premium Sinfonia is a high-absorbing ceiling tile with simple, smooth, fleece-covered surface. It thereby offers the outstanding sound absorption of 0.85.



All-round applicable

OWAcoustic® premium Sinfonia was developed, in order to work in a wide ranging operational field. The tiles are suitable for acoustically sensitive areas. Offices, conference rooms, auditoria and lecture halls, just as for operational areas, in which it depends on good design and strict fire protection, e. g. corridors, entrance areas and foyers within public and commercial sectors.





OWAconsult® recommends

OWAcoustic® premium Sinfonia:

Ideal mix of good characteristics

Rarely all the different market requirements are solved with only one product: OWAcoustic® premium Sinfonia convinces with an ideal mix of advantages: fleece-covered, with smooth surface, technically advanced and attractive concerning the price. A genuine „All-rounder“.

OWAcoustic® premium Sinfonia – technical data

Material	mineral wool tile, fleece-covered	
		
Building material class	A2-s1,d0 according to EN 13501-1	
Thickness	approx. 15 mm	
Colour	white	
Light reflection	approx. 87 (ISO 7724-2, ISO 7724-3)	
Sound reduction	33 dB	
Sound absorption		$\alpha_w = 0.85 / \text{NRC} = 0.85$
Moisture resistance		up to 95 % RH
Fire resistance *		up to F 90 (DIN 4102) up to REI 90 (EN 13501-2)

*dependent on system, soffit and other additional measures



Systems	Exposed systems		OWAline	
	S 3	S 3a	S 15	S 15b
Module size in mm				
600 x 600	•	•	•	•
625 x 625				
600 x 1200	•	•	•	
625 x 1250				

OWA

Odenwald Faserplattenwerk GmbH

Dr.-F.-A.-Freundt-Straße 3

63916 Amorbach

Tel. +49 9373 2 01-0

Fax +49 9373 2 01-1 30

www.owa.de · E-Mail: info@owa.de