

# Canopies



## Material

Glass wool  
ASTM E 1264 classification  
Type IV, Form 3, Pattern E

## Reaction to fire

CAN/ULC-S102  
Class 2 (ASTM E 84) | Class B (ASTM E 1264)

## Sound absorption

High Acoustic Performance

## Humidity resistance

up to  
90 % RH

## Versions:



Curve 1







Curve 2



Selecta

Detailed product features can be found on the following pages.













Item no.	Dimensions (nom.) [inches]	PU	Design	Material/Colour	avg. Sabin/unit [sqft]	Humidity resistance	Weight approx. [lbs/pce]	Warranty (years)	
<b>OWAconsult® collection</b>									
<b>Curve</b>									
00074785	39" x 48" x 1 5/8"		1	Curve 1	fleece covered, white	<b>18.3</b>	90 % RH	11	3
On request	39" x 48" x 1 5/8"		1	Curve 1	coloured fabric*	<b>18.3</b>	90 % RH	11	3
00074786	36" x 43" x 1 5/8"		1	Curve 2	fleece covered, white	<b>13.1</b>	90 % RH	9	3
On request	36" x 43" x 1 5/8"		1	Curve 2	coloured fabric*	<b>13.1</b>	90 % RH	9	3

\* The available colours of the fabric cover can be found in brochure no. 1964 Canopies.  
Special formats/special shapes on request.



## OWAconsult® collection Selecta

00074782	48" x 48" x 1 5/8"		1	Selecta one	fleece covered, white	<b>21.6</b>	90 % RH	12	3
On request	48" x 48" x 1 5/8"		1	Selecta one	coloured fabric*	<b>on request</b>	90 % RH	12	3
00076262	48" x 48" x 1 5/8"		1	Selecta concav	fleece covered, white	<b>on request</b>	90 % RH	12	3
00076263	48" x 48" x 1 5/8"		1	Selecta convex	fleece covered, white	<b>on request</b>	90 % RH	12	3
00074783	48" x 71" x 1 5/8"		1	Selecta plus	fleece covered, white	<b>30.8</b>	90 % RH	19	3
On request	48" x 71" x 1 5/8"		1	Selecta plus	coloured fabric*	<b>on request</b>	90 % RH	19	3
00074780	48" x 94" x 1 5/8"		1	Selecta grande	fleece covered, white	<b>38.7</b>	90 % RH	25	3
On request	48" x 94" x 1 5/8"		1	Selecta grande	coloured fabric*	<b>on request</b>	90 % RH	25	3
00077120	31" x 1 5/8"		1	Selecta loop	fleece covered, white	<b>8.8</b>	90 % RH	7	3
On request	31" x 1 5/8"		1	Selecta loop	coloured fabric*	<b>on request</b>	90 % RH	7	3
00077180	39" x 1 5/8"		1	Selecta loop	fleece covered, white	<b>on request</b>	90 % RH	9	3
On request	39" x 1 5/8"		1	Selecta loop	coloured fabric*	<b>on request</b>	90 % RH	9	3
00074781	48" x 1 5/8"		1	Selecta loop	fleece covered, white	<b>17.9</b>	90 % RH	10	3
On request	48" x 1 5/8"		1	Selecta loop	coloured fabric*	<b>on request</b>	90 % RH	10	3

\* The available colours of the fabric cover can be found in brochure no. 1964 Canopies.  
Special formats/special shapes on request.



## General guidance

---

The following section shows a general guidance of the main features of our products.

---

### Dimensions (nom.) [Inches]

The dimensions (length x width x thickness) are nominal. The exact manufacturing sizes can differ.

### PU

Packaging unit (pieces/packet)

### Sabins per unit [sqft]

The unit for absorption of sound equal to the absorption provided by one square foot / square meter of a completely absorbing material.

### Humidity resistance

The canopies can temporary be subjected to the stated values without sagging.

### Weight approx. (lbs/pce)

Subject to fluctuations of raw materials and production processes.

### Warranty (years)

OWA grants a warranty of 3 years depending on product. Please have a look at our guaranty bond.

---

### Legal notice

The printing-related colour and quality variations in this catalogue may result in deviations to the original product. A binding product selection should therefore always be made based on an original sample. All details and technical information in these brochures or other publications that relate to OWA ceiling systems are based on test results that were achieved under laboratory conditions. It is the customer's responsibility to ensure that this information is appropriate for their specific application. All system-related data and statements correspond to the current state of technology. They assume the exclusive application of OWA products and their interdependent behaviour which is confirmed by internal and external testing. If they are used in combination with non-OWA products, any warranties or guarantees are invalidated and liability will not be accepted. Subject to technical changes for the purpose of product or system updates. Subject to technical changes without prior announcement. Our general sales, delivery and payment terms and conditions apply. Prices are subject to change without notice.

Subject to mistakes and printing errors.

## OWA Product Awards

---



## Sustainability

---



**OWA USA Corp.**  
131 Ridge Road, Unit 1N | Munster, IN 46321  
(800) 487-4308 | [usa@owa-ceilings.com](mailto:usa@owa-ceilings.com)  
[www.owa-ceilings.com](http://www.owa-ceilings.com)

Data sheet  
**Canopies us**  
062000